



ONLEVEL

PIKASSO
BALUSTRADE POST SYSTEM

PIKASSO

Top mount

ONLEVEL - Paint your own picture...

PiKasso railings embody innovation in design, presenting a truly inspirational modular railing system. Crafted with precision, the pre-assembled aluminum posts boast a breathtaking satin anodized finish or can be customized with a powder-coated touch tailored to your preferences. The square profiles, ready for effortless installation, elevate the aesthetics of any space.

These railings are more than a mere architectural element; they are a testament to engineering excellence. Engineered to surpass the demands of diverse applications, the **PiKasso** railing systems offer flexibility with or without a top rail. This versatility creates a seamless solution, effortlessly blending post and glass panel design.

PiKasso is a masterpiece conceived with Onlevel's distinctive 3-step installation philosophy. It goes beyond functionality, embodying an ethos that champions simplicity, elegance, and innovation. Elevate your surroundings with **PiKasso** railings – where modular design meets seamless installation for a truly transformative experience.

Essential Features

- | Fully assembled posts
- | Aluminium anodised & powder coated finish
- | To suit 10 mm and 13.52 mm glass
- | Suitable for internal and external applications
- | Lightweight
- | 3 step installation philosophy
- | Tested to 0.74kN line loadings and up to 1.8kN wind loadings at 1100mm centres.

For further details, please request our test report.



Gap between handrail
and glass is 50 mm

To suit 10 mm or
13.52 mm glass


Completely pre-assembled
post system

End post



Pre-assembled post with end cap and cover cap
50 x 50 mm
Height: 1100 mm
Sales unit: 1 piece

Model 6011	Glass 10 - 13.52 mm
Colour	Art. no.
mill finish	13.6011.110.10
natural anodised	13.6011.110.11
RAL shiny	13.6011.110.13
RAL struct.	13.6011.110.16
RAL matt	13.6011.110.18
ARMOR RAL	13.6011.110.19




Mid post



Pre-assembled post with end cap and cover cap
50 x 50 mm
Height: 1100 mm
Sales unit: 1 piece

Model 6021	Glass 10 - 13.52 mm
Colour	Art. no.
mill finish	13.6021.110.10
natural anodised	13.6021.110.11
RAL shiny	13.6021.110.13
RAL struct.	13.6021.110.16
RAL matt	13.6021.110.18
ARMOR RAL	13.6021.110.19




Corner post 90°




Pre-assembled post with end cap and cover cap
50 x 50 mm
Height: 1100 mm
Sales unit: 1 piece

Model 6031	Glass 10 - 13.52 mm
Colour	Art. no.
mill finish	13.6031.110.10
natural anodised	13.6031.110.11
RAL shiny	13.6031.110.13
RAL struct.	13.6031.110.16
RAL matt	13.6031.110.18
ARMOR RAL	13.6031.110.19



Mounting example






Handrail



| 79 x 37 mm
| Sales unit: 1 piece

Model 2102	2500 mm	5000 mm
Colour	Art. no.	Art. no.
mill finish	13.2102.070.10	13.2105.070.10
natural anodised	13.2102.070.11	13.2105.070.11
RAL shiny	13.2102.070.13	13.2105.070.13
RAL struct.	13.2102.070.16	13.2105.070.16
RAL matt	13.2102.070.18	13.2105.070.18
ARMOR RAL	13.2102.070.19	13.2105.070.19




Handrail corner 90°



| 79 x 37 mm
| Length: 380 mm
| Sales unit: 1 piece

Model 2210	
Colour	Art. no.
mill finish	13.2210.070.10
natural anodised	13.2210.070.11
RAL shiny	13.2210.070.13
RAL struct.	13.2210.070.16
RAL matt	13.2210.070.18
ARMOR RAL	13.2210.070.19




Handrail wall connector



| 79 x 37 mm
| Sales unit: 2 pieces

Model 2220	
Colour	Art. no.
mill finish	13.2220.070.10
natural anodised	13.2220.070.11
RAL shiny	13.2220.070.13
RAL struct.	13.2220.070.16
RAL matt	13.2220.070.18
ARMOR RAL	13.2220.070.19




Handrail end cap



| 79 x 37 mm
| Sales unit: 2 pieces


Model 2300	
Colour	Art. no.
mill finish	13.2300.070.10
natural anodised	13.2300.070.11
RAL shiny	13.2300.070.13
RAL struct.	13.2300.070.16
RAL matt	13.2300.070.18
ARMOR RAL	13.2300.070.19



Extension pin



| Length: 40 mm
| Diameter: Ø 6 mm
| Sales unit: 8 pieces




Model 7001	AISI 316 (inside & outside)
Art. no.	
90.7001.640.31	



Straight connector



| Internal fix. Supplied with four screws.
| Sales unit: 1 piece




Model 4200	Plain aluminium
Art. no.	
18.4200.420.15	


Corner connector variable 80 - 180°



| Internal fix. Supplied with four screws.
| Sales unit: 1 piece



Model 4210	Plain aluminium
Art. no.	
18.4210.420.15	



LAZORTRACK | LED ACCESSORIES FOR PIKASSO

Lazortrack Transformer

| 24 V
| Sales unit: 1 piece



Model 3000		
Watts	up to a length of	Art. no.
100 W	10 m	18.3000.100.00

Lazortrack LED strip

| 24 V
| 6 W/m
| Sales unit: 1 piece



Model 3106	single-color 4000K	RGB
length	Art. no.	Art. no.
2.5 m	18.3106.002.00	18.3206.002.00
5 m	18.3106.005.00	18.3206.005.00
10 m	18.3106.010.00	18.3206.010.00

Lazortrack Controller

| Single-color controller: Change the brightness
| RGB controller: Change the brightness and color
| Indoor use only
| Sale unit: 1 piece



Model 3005	single-color 4000K	RGB
	Art. no.	Art. no.
	18.3005.010.00	18.3005.000.00

Lazortrack Remote Control

| Batteries included
| One remote control can manage up to 10 controllers
| Indoor use only
| Sale unit: 1 piece



Model 3005	single-color 4000K	RGB
	Art. no.	Art. no.
	18.3004.010.00	18.3004.000.00

LAZORTRACK | LED ACCESSORIES FOR PIKASSO

Lazortrack cable

| 230 V
| Sales unit: 1 piece



Model 9001	
length	Art. no.
10 m	18.9001.010.00
20 m	18.9001.020.00

Lazortrack Y cable



Do you need LED illumination on more than 10 m?
No problem at all! With this Y cable, you can extend your Lazortrack by up to 50 m. Simply connect the next mains adaptor together with the LED to the power supply and your illumination is there.

| Sales unit: 1 piece



Model 9003	
	Art. no.
	18.9003.010.00

Lazortrack connecting with Y cable




A gap of 50mm is needed to avoid LED and Handrail damage due to elongation and contraction from heat related matters.

Drill positioning tool



| for handrail 79x37mm
| Sales unit: 1 piece




Model 9006	plastic black
Art. no.	
13.9006.070.41	

Fischer fixing anchor FAZ II 12/20




| Finish interior application: zinc-plated steel (inside)
| Finish exterior application: V4A (exterior)
| Required number per post: 4 pieces
| M12
| Sales unit: 20 pieces



Model 3501	zinc-plated steel (inside)	AISI 316 (exterior)
Art. no.		Art. no.
91.3501.220.81		91.3501.220.30

Mounting bolts top, mount on steel, M12 x 50 mm

| Sales unit: 12 pieces



Model 5000	Zinc-plated steel (inside)	AISI 316 (exterior)
Art. no.		Art. no.
91.5000.050.81		91.5000.050.30


EDGE PROTECTION |

The self-adhesive corner protection is also suitable for use with our Translevel systems. For glass thicknesses and dimensions, please refer to the General Building Inspection Test Certificate (AbP).

Edge protection, self-adhesive, AISI 316 brushed



- | Height 6 mm
- | Thickness 1 mm
- | Sales unit: 1 piece




Model 2111		1000 mm	1500 mm	2000 mm	3000 mm	4000 mm
Width	for glass thickness	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
14	10,76 – 11,52 mm	12.2111.141.31	12.2110.141.31	12.2112.141.31	12.2113.141.31	12.2114.141.31
16	12,76 – 13,52 mm	12.2111.161.31	12.2110.161.31	12.2112.161.31	12.2113.161.31	12.2114.161.31

Edge protection, self-adhesive, aluminium mill finish



- | Height 7 mm
- | Thickness 1 mm
- | Sales unit: 1 piece




Model 2111		1000 mm	1500 mm	2000 mm	3000 mm	4000 mm
Width	for glass thickness	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
14	10,76 – 11,52 mm	11.2111.141.10	11.2110.141.10	11.2112.141.10	11.2113.141.10	11.2114.141.10
16	12,76 – 13,52 mm	11.2111.161.10	11.2110.161.10	11.2112.161.10	11.2113.161.10	11.2114.161.10

Edge protection, self-adhesive, aluminium plain



- | Height 7 mm
- | Thickness 1 mm
- | Sales unit: 1 piece




Model 2111		1000 mm	1500 mm	2000 mm	3000 mm	4000 mm
Width	for glass thickness	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
14	10,76 – 11,52 mm	11.2111.141.11	11.2110.141.11	11.2112.141.11	11.2113.141.11	11.2114.141.11
16	12,76 – 13,52 mm	11.2111.161.11	11.2110.161.11	11.2112.161.11	11.2113.161.11	11.2114.161.11

Edge protection, self-adhesive, aluminium RAL





- | Height 7 mm
- | Thickness 1 mm
- | Sales unit: 1 piece, Minimum order quantity 5 units



Model 2111		1000 mm	1500 mm	2000 mm	3000 mm	4000 mm
Width	for glass thickness	Art. no.	Art. no.	Art. no.	Art. no.	Art. no.
14	10,76 – 11,52 mm	11.2111.141.xx	11.2110.141.xx	11.2112.141.xx	11.2113.141.xx	11.2114.141.xx
16	12,76 – 13,52 mm	11.2111.161.xx	11.2110.161.xx	11.2112.161.xx	11.2113.161.xx	11.2114.161.xx

PIKASSO | INSTALLATION EXAMPLE WITHOUT HANDRAIL

Glass Panel Size: H 1050 x W 1175




13.6011.110.1x



13.6021.110.1x





13.6031.110.1x



PIKASSO | INSTALLATION EXAMPLE WITH HANDRAIL

Glass Panel Size: H 1000 x W 1175




13.6011.110.1x



13.6021.110.1x



13.6031.110.1x



ONLEVEL



1. PIKASSO

Balustrade




IN




OUT



VIEW





Sum * **£ 1.071,95**
Gross prices (excl. glass panels, wall screws and VAT)

1. PIKASSO

1.1 Balustrade Shape



+ DIRECT ORDERING OF REQUIRED RAL COLOUR THROUGH THE CONFIGURATOR

+ AUTOMATIC CALCULATION OF GLASS DIMENSIONS AND FIXING DISTANCES

+ PRICING AND PLANNING IN SECONDS!

+ HANDRAIL WITH INTEGRATED LED LIGHT OPTION

CONFIGURE IT OUT!

THE RAILING CONFIGURATOR FROM ONLEVEL.

WWW.ONLEVEL-SHOP.COM



ONLEVEL

ONLEVEL Ltd. | Units 7, Alexandria Court | Alexandria Drive
Ashton Commerce Park | Ashton-under-Lyne | Lancashire OL7 0QN | United Kingdom
T +44 0161 804 9500 | F +44 0161 804 9505 | info@onlevel-uk.com | www.onlevel.com